

Filter

Filter-Y Type/ Filter-T Type/ Automatic Filter/ Filter-Hydrocyclone Type/ Automatic Filter Station

Filter-Y Disk (BSPT) PP(PN8)



3/4" & 1"

CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6115.000B	3/4"	5	30	-	0.059
6115.000C	1"	6	30	-	0.059
6115.000D	1-1/4"	10	10	-	0.053
6115.000E	1-1/2"	14	10	-	0.053
6115.00FM	2"	25	7	-	0.053

Filter-Y Screen (BSPT) PP(PN8)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6110.000B	3/4"	5	30	-	0.059
6110.000C	1"	6	30	-	0.059
6110.000D	1-1/4"	10	10	-	0.053
6110.000E	1-1/2"	14	10	-	0.053
6110.00FM	2"	25	7	-	0.053

Filter-T Disk (BSPT/NPT) Optional material: PP(PN6); PA(PN10)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6120.000F	2"	30	1	7.5	0.054
6120.00FL	2" Long	30	1	9	0.065
6120.000G	2-1/2"	40	1	7.5	0.054
6120.00GL	2-1/2" Long	40	1	9	0.065
6120.00HS	3" Short	50	1	7.5	0.054
6120.000H	3"	50	1	9	0.065

Filter-T Screen (BSPT/NPT) Optional material: PP(PN6); PA(PN10)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6125.000F	2"	30	1	6.5	0.054
6125.00FL	2" Long	30	1	7.5	0.065
6125.000G	2-1/2"	40	1	6.5	0.054
6125.00GL	2-1/2" Long	40	1	7.5	0.065
6125.00HS	3" Short	50	1	6.5	0.054
6125.000H	3"	50	1	7.5	0.065

Double body filter -Disk (BSPT/NPT) Optional material: PP(PN6); PA(PN10)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6130.00HS	3"	50	1	12	0.083
6130.00HL	3" Long	60	1	15	0.104
6130.00IS	4"	70	1	12.5	0.083
6130.00IL	4" Long	100	1	15	0.104
6130.FOHS	F 3"	50	1	-	0.083
6130.FOHL	F 3" Long	60	1	-	0.104
6130.FOIS	F 4"	70	1	-	0.083
6130.FOIL	F 4" Long	100	1	-	0.104

Double body filter -Screen (BSPT/NPT) Optional material: PP(PN6); PA(PN10)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6135.00HS	3"	50	1	9.5	0.083
6135.00HL	3" Long	60	1	11	0.104
6135.00IS	4"	70	1	9.5	0.083
6135.00IL	4" Long	100	1	11	0.104
6135.FOHS	F 3"	50	1	-	0.083
6135.FOHL	F 3" Long	60	1	-	0.104
6135.FOIS	F 4"	70	1	-	0.083
6135.FOIL	F 4" Long	100	1	-	0.104

Filter T automatic-Disk (BSPT/NPT) PA(PN10)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6140.00FS	2"	25	1	10	0.065
6140.000H	3"	32	1	10	0.065

Double body automatic filter-Disk PA(PN10)



CODE	D"	m ³ /h 120mesh	Pcs/Box	Kg/Box	CBM/BOX
6145.000H	3"	50	1	17	0.104
6145.000I	4"	64	1	17	0.104

Filter

Filter-Y Type/ Filter-T Type/ Automatic Filter/ Filter-Hydrocyclone Type/ Automatic Filter Station

Filter - hydrocyclone type (DIN/ANSI) (BSPT)




CODE	D"	m ³ /h	Pcs/Box	Kg/Box	CBM/BOX
6150.S00C	BSPT 1"	6	1	3.80	0.008
6150.S00E	BSPT 1-1/2"	12	1	-	0.008
6150.S00F	BSPT 2"	30	1 pcs by 2 box	-	0.082
6150.S00G	BSPT 2-1/2"	40	1 pcs by 2 box	-	0.082
6150.S00H	BSPT 3"	50	1 pcs by 2 box	18.50	0.125
6150.S0IS	BSPT 4" Small	60	1 pcs by 2 box	-	0.315
6150.S00I	BSPT 4"	100	1 pcs by 2 box	30.50	0.315
6150.000F	2" Flange	30	1 pcs by 2 box	-	0.082
6150.000G	2-1/2" Flange	40	1 pcs by 2 box	-	0.082
6150.000H	3" Flange	50	1 pcs by 2 box	18.50	0.125
6150.00IS	4" Flange small	60	1 pcs by 2 box	-	0.315
6150.000I	4" Flange	100	1 pcs by 2 box	30.50	0.315

Automatic Filter Station




CODE	Specification	Kg/Box	CBM
6300.2F0H	2pcs*2"filter-3" Manifolds	-	-
6300.3F0H	3pcs*2"filter-3" Manifolds	-	-
6300.3F0I	3pcs*2"filter-4" Manifolds	-	-
6300.2H0I	2pcs*3"filter-4" Manifolds	-	-
6300.3H0I	3pcs*3"filter-4" Manifolds	-	-
6300.4H0I	4pcs*3"filter-4" Manifolds	-	-
6300.5H0K	5pcs*3"filter-6" Manifolds	-	-
6300.5H0M	5pcs*3"filter-8" Manifolds	-	-
6330.3H0K	3pcs*3"filter-6" Manifolds	-	-
6330.4H0K	4pcs*3"filter-6" Manifolds	-	-
6330.5H0K	5pcs*3"filter-6" Manifolds	-	-
6330.6H0K	6pcs*3"filter-6" Manifolds	-	-
6330.5H0M	5pcs*3"filter-8" Manifolds	-	-
6330.4I0M	4pcs*4"filter-8" Manifolds	-	-
6330.5I0M	5pcs*4"filter-8" Manifolds	-	-
6330.6I0M	6pcs*4"filter-8" Manifolds	-	-
6330.7I0L	7pcs*4"filter-10" Manifolds	-	-
6330.8I0L	8pcs*4"filter-10" Manifolds	-	-
6330.9I0L	9pcs*4"filter-10" Manifolds	-	-
6330.10IN	10pcs*4"filter-12" Manifolds	-	-

Filter - Y



Filter - hydrocyclone type



Metal Filter

Automatic Backwash Sand Filter/ Hydrocyclone sand separator/ Hydraulic automatic clean screen filter

Automatic Backwash Sand Filter Station



CODE	Specification	m ³ /h	Kg
6400.1602	2pcs*16"tank- 3"inlet & outlet	12-20	140
6400.2402	2pcs*24"tank- 3"inlet & outlet	30-50	216
6400.3002	2pcs*30"tank- 4"inlet & outlet	30-70	318
6400.3602	2pcs*36"tank- 4"inlet & outlet	60-100	400
6400.4002	2pcs*40"tank- 6"inlet & outlet	90-130	512
6400.4802	2pcs*48"tank- 6"inlet & outlet	100-180	650

Automatic Backwash Sand Filter



CODE	Specification	m ³ /h	Kg
6401.1601	16"tank- φ400mm-2"	10	-
6401.2401	24"tank- φ600mm-3"	25	-
6401.3001	30"tank- φ750mm-3"	35	-
6401.3601	36"tank- φ900mm-4"	50	-
6401.4001	40"tank- φ1000mm-4"	60	-
6401.4801	48"tank- φ1200mm-4"	90	-
6401.6001	60"tank- φ1500mm-4"	110	-

Hydrocyclone sand separator



CODE	Specification	m ³ /h	Kg
6405.0003	3"inlet & outlet/ Groove	35-52	52
6405.0004	4"inlet & outlet /Groove	52-80	73
6405.0006	6"inlet & outlet/ Groove	120-160	118
6405.F003	3"inlet & outlet/ Flange	35-52	52
6405.F004	4"inlet & outlet/ Flange	52-80	73
6405.F006	6"inlet & outlet/ Flange	120-160	118

Hydraulic automatic clean screen filter -V type



CODE	Specification	m ³ /h	Kg
6410.0002	2"inlet & outlet/ Flange	25	31
6410.A003	3"inlet & outlet/ Flange	40	35
6410.B003	3"inlet & outlet/ Flange	50	40
6410.0004	4"inlet & outlet/ Flange	70	45

Hydraulic automatic clean screen filter -L type



CODE	Specification	m ³ /h	Kg
6411.A004	4"inlet & outlet/ Flange	80	60
6411.B004	4"inlet & outlet/ Flange	100	65
6411.A005	5"inlet & outlet/ Flange	140	67
6411.B005	5"inlet & outlet/ Flange	150	75
6411.0006	6"inlet & outlet/ Flange	180	85

Hydraulic automatic clean screen filter -M type



CODE	Specification	m ³ /h	Kg
6412.A004	4"inlet & outlet/ Flange	80	72
6412.B004	4"inlet & outlet/ Flange	100	83
6412.A005	5"inlet & outlet/ Flange	140	85
6412.B005	5"inlet & outlet/ Flange	150	92
6412.A006	6"inlet & outlet/ Flange	180	95
6412.B006	6"inlet & outlet/ Flange	220	135
6412.0008	8"inlet & outlet/ Flange	320	142
6412.0010	10"inlet & outlet/ Flange	380	154

Metal Filter

Automatic Backwash Sand Filter/ Hydrocyclone sand separator/ Hydraulic automatic clean screen filter

Self-cleaning filter -T type



CODE	Specification	t/h	Kg
6417.0063	DN50-0.09Kw	25	90
6417.0075	DN65-0.09Kw	30	95
6417.0090	DN80-0.09Kw	50	105
6417.0110	DN100-0.09Kw	80	120
6417.0140	DN125-0.09Kw	120	135
6417.0160	DN150-0.18Kw	160	185
6417.0200	DN200-0.18Kw	300	205
6417.0250	DN250-0.37Kw	450	285
6417.0315	DN300-0.37Kw	650	320
6417.0355	DN350-0.55Kw	900	480
6417.0400	DN400-0.55Kw	1200	520
6417.0450	DN450-0.75Kw	1500	835
6417.0500	DN500-0.75Kw	2000	900
6417.0600	DN600-0.75Kw	2800	1080

Self-cleaning filter -L type



CODE	Specification	t/h	Kg
6416.0063	DN50-0.09Kw	25	88
6416.0075	DN65-0.09Kw	30	92
6416.0090	DN80-0.09Kw	50	95
6416.0110	DN100-0.09Kw	80	105
6416.0140	DN125-0.09Kw	120	115
6416.0160	DN150-0.18Kw	160	170
6416.0200	DN200-0.18Kw	300	185
6416.0250	DN250-0.37Kw	450	230
6416.0315	DN300-0.37Kw	650	265
6416.0355	DN350-0.55Kw	900	430
6416.0400	DN400-0.55Kw	1200	450
6416.0450	DN450-0.75Kw	1500	680
6416.0500	DN500-0.75Kw	2000	720
6416.0600	DN600-0.75Kw	2800	915

Self-cleaning filter -Y type



CODE	Specification	t/h	Kg
6415.0063	DN50-0.09Kw	25	90
6415.0075	DN65-0.09Kw	30	95
6415.0090	DN80-0.09Kw	50	106
6415.0110	DN100-0.09Kw	80	110
6415.0140	DN125-0.09Kw	120	118
6415.0160	DN150-0.18Kw	160	165
6415.0200	DN200-0.18Kw	300	185
6415.0250	DN250-0.37Kw	450	285
6415.0315	DN300-0.37Kw	650	320

Self-cleaning filter -F type



CODE	Specification	t/h	Kg
6418.0063	DN50-0.09Kw	25	85
6418.0075	DN65-0.09Kw	30	88
6418.0090	DN80-0.09Kw	50	92
6418.0110	DN100-0.09Kw	80	98
6418.0140	DN125-0.09Kw	120	105
6418.0160	DN150-0.18Kw	160	165
6418.0200	DN200-0.18Kw	300	190
6418.0250	DN250-0.37Kw	450	255
6418.0315	DN300-0.37Kw	650	290

Fertilizer tank



CODE	Specification	L	Kg
6531.B100	3/4" inlet & outlet/ Thread	100	-
6531.C200	1" inlet & outlet/ Thread	200	-
6531.C300	1" inlet & outlet/ Thread	300	-
6531.C600	1" inlet & outlet/ Thread	600	-
6531.C01K	1" inlet & outlet/ Thread	1000	-